U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

National Flood Insurance Program Important: Read the instructions on pages 1-8.

SECTION A - PROPERTY INFORMATION A1. Building Owner's Name	Caalaanaa Oomaa II									
A1 Ruilding Owner's Name	For Insurance Company Use:									
Jeffrey Speer and Marsha Speer	Policy Number									
A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.	Company NAIC Number									
Santa Clarita CA	Zip Code									
A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Parcel 1, P. M. 25634										
A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) New Sincle Family Residence A5. Latitude/Longitude: Lat. 34 24 22 Long. 118 25 16 Horizontal Datum: NAD 1927 NAD 1983 A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance. A7. Building Diagram Number 8 A8. For a building with a crawl space or enclosure(s), provide: a) Square footage of crawl space or enclosure(s) b) No. of permanent flood openings in the crawl space or enclosure(s) walls within 1.0 foot above adjacent grade NAD 1983 A9. For a building with an attached garage, provide: a) Square footage of attached garage b) No. of permanent flood openings in the attached garage walls within 1.0 foot above adjacent grade walls within 1.0 foot above adjacent grade										
c) Total net area of flood openings in A8.b SEE NA sq in c) Total net area of flood										
SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION										
B1. NFIP Community Name & Community Number City of Santa Clarita 060729 Los Angeles	B3. State									
B4. Map/Panel Number B5. Suffix B6. FIRM Index B7. FIRM Panel B8. Flood O60729 0480 C 9 29 89 Effective/Revised Date Zone(s) AD	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)									
FIS Profile FIRM Community Determined Other (Describe) FLOODWALL OTHER STATES OF THE PROFILE OF	Yes No									
 Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction *A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO. Complete Items C2.a-g below according to the building diagram specified in Item A7. Benchmark Utilized CL 3817 Neuropall 1983 Vertical Datum 1617, 67 										
*A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7.	Finished Construction , AR/AO. Complete Items C2.a-g									
*A new Elevation Certificate will be required when construction of the building is complete. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized CL 3817 Neurocal 1983 Vertical Datum 1677, 6 Conversion/Comments Check the measurem	Finished Construction , AR/AO. Complete Items C2.a-g									
*A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized CL3817 New Yorld 1983 Vertical Datum 1677, 6 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 1632 48X feet mete b) Top of the next higher floor 1633 71X feet mete c) Bottom of the lowest horizontal structural member (V Zones only) 1627 96X feet mete d) Attached garage (top of slab) 1627 96X feet mete c) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG) 1626 13X feet mete	Finished Construction AR/AO. Complete Items C2.a-g ent used. In (Puerto Rico only)									
*A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized CL3817 Neurovall 1983 Vertical Datum 1617, 6 Conversion/Comments Check the measurem a) Top of bottom floor (including basement, crawl space, or enclosure floor) 1632 48X feet mete b) Top of the next higher floor 1633 71X feet mete c) Bottom of the lowest horizontal structural member (V Zones only) 1627 98X feet mete d) Attached garage (top of slab) 1627 98X feet mete e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment in Comments) f) Lowest adjacent (finished) grade (LAG)	Finished Construction AR/AO. Complete Items C2.a-g ent used. In (Puerto Rico only)									
*A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized CL3817 Neuroval 1983	Finished Construction AR/AO. Complete Items C2.a-g ent used. In (Puerto Rico only) In (Puerto Rico only)									
*A new Elevation Certificate will be required when construction of the building is complete. 2. Elevations – Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH below according to the building diagram specified in Item A7. Benchmark Utilized CL3817 Neuroval 1983	Finished Construction AR/AO. Complete Items C2.a-g ent used. In (Puerto Rico only) In (Puerto Rico only)									

IMPORTANT: In these spaces, copy the corresponding information from		For Insurance Company Use:				
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route at 16325 Alamo Canuor Re	nd Box No.	Policy Number				
Sarta Clarita CA	71387	Company NAIC Number				
SECTION D - SURVEYOR, ENGINEER, OR ARCH	ITECT CERTIFICATION (CO	NTINUED)				
Copy both sides of this Elevation Certificate for (1) community official, (2) insurance a	gent/company, and (3) building ow	ner.				
Comments The raised house foundations have	ve been designed	to withstand the				
hydrostatic pressure of the flood water	/ 1					
walls to 4 above Has with vents and	water sealing	·				
Signature Date	12/19/06	Check here if attachments				
SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT	REQUIRED) FOR ZONE AO A	AND ZONE A (WITHOUT BFE)				
For Zones AO and A (without BFE), complete Items E1-E5. If the Certificate is intended and C. For Items E1-E4, use natural grade, if available. Check the measurement use E1. Provide elevation information for the following and check the appropriate boxes grade (HAG) and the lowest adjacent grade (LAG). a) Top of bottom floor (including basement, crawl space, or enclosure) is b) Top of bottom floor (including basement, crawl space, or enclosure) is E2. For Building Diagrams 6-8 with permanent flood openings provided in Section A (elevation C2.b in the diagrams) of the building is feet meters above E3. Attached garage (top of slab) is feet meters above E4. Top of platform of machinery and/or equipment servicing the building is E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor ordinance? Yes No Unknown. The local official must certify this is	ed. In Puerto Rico only, enter meter to show whether the elevation is a feet meters a feet meters a alterns 8 and/or 9 (see page 8 of Inmeters above or below the feet meters alterns feet meters alterns alterns and or elevated in accordance with the	bove or below the highest adjacent bove or below the HAG. bove or below the LAG. astructions), the next higher floor he HAG. bove or below the HAG.				
SECTION F - PROPERTY OWNER (OR OWNER'S	REPRESENTATIVE) CERTIF	ICATION				
The property owner or owner's authorized representative who completes Sections A, E or Zone AO must sign here. The statements in Sections A, B, and E are correct to the	B, and E for Zone A (without a FEM					
Property Owner's or Owner's Authorized Representative's Name	best of my knowledge.					
Address City	State	ZIP Code				
Signature Date	Telephon	ne				
Comments						

		Check here if attachments				
SECTION G - COMMUNITY INFOR The local official who is authorized by law or ordinance to administer the community's flo						
and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Che G1. The information in Section C was taken from other documentation that has been is authorized by law to certify elevation information. (Indicate the source and cog A community official completed Section E for a building located in Zone A (with The following information (Items G4G9.) is provided for community floodplain	eck the measurement used in Item on signed and sealed by a licensed late of the elevation data in the Co nout a FEMA-issued or community- management purposes.	s G8. and G9. d surveyor, engineer, or architect who imments area below.) -issued BFE) or Zone AO.				
G4. Permit Number G5. Date Permit Issued	G6. Date Certificate Of Compli	iance/Occupancy Issued				
67. This permit has been issued for: New Construction Substantial Impro 68. Elevation of as-built lowest floor (including basement) of the building: 69. BFE or (in Zone AO) depth of flooding at the building site:	vement feet meters (PR					
Local Official's Name Tit	le					
Community Name Te	lephone					
Signature Da	te					
Comments		The state of the s				
		·····				
		Check here if attachments				

	:	;		:	:	:	:	 -	:	:				:		:	<u>:</u>		:	:	·	:	:	:			
		i	 !	1	i	i	··			l !	 		·	4 	 !		·	 !		:		⊧ ≣		-	!		· ·
		F		$\bigvee I$!5,	4		1	L	20	2/	 	E	=	F	V,	47	10	27	7	Z	A	Z		5,		
		· · · · · · · · · · · · · · · · · · ·	ļ		In	to	سرج	Pl	2/0	بكرج	2	<u> </u>	4	5	(10	5	L	-4		c	7)				
	ļ	.!	ļ	: 	<u>.</u>	j		:		<u>.</u>		:	İ			i 				Ė	:	:		:			••••
	: 		ر کرا	ر د 5ء		= /	76.	(回の) スニ	3. 9	?)	7		7	2 Z	9	COMPRESE	00				100	کرے ایمار	aa	W.	5. 163	31/	1
								ـوح. 	C	/ <i>/</i> 	 		O	. مت	. . .	i	1.6	رے.(717		/85) * ` -	17) /	ر ک		Γ
ļ	ļ ļ	£	75	12	/	E	M	14	<u></u>	40	2-	3	/	F.	**********************	y ==		6	29.	5	-y&_	4	=,	16	33,	5	
		:	:		:	:	:			•	1			•	:	•			:	٠.	بالاحمية	1	415	200	· //	/ J:	•
	 !		·/ }	<u>) /</u>	100)/*/	12			75	1	اک	-		ر استمر مساورت سور		7	and made			· ************************************	بے کے	ارلسان ا	1,5		
	 ! 	÷		صه. :	•	∤ }			ےح		. /	7 !		: :	7.C		رب			! !		; :		 !			.
	ļ	F	E	R		CE	-	12	! : :	A	0.	-3	! ! }· ·····	F,	F,	=	1	6	27	7.9	4			63	1.9	•	
	! 	: ::::::::::::::::::::::::::::::::::::		ļ. .	: 	! 	i	ļ		! : "	ļ			! !	: ! !						.5	* *	48	ove	K	15,	
		;····· ···		1	1		ļ L		E	>	المرسط	! 二人~	1	7		 !						: 		<u>.!</u>			
					: .		:		:		1	:	:		-	<i>L</i> ,		16	3	33	5		ļ				
				i										/				16	3	2	2	5	ļ	: 			
		† †**		<u></u>	: 	! !								A				7	3	5		18	ov.	E	GR	'0U×	D
	: 	. :		: !	ļ	! : .		: :	<u></u>	 :		: 		i		:					<u>. </u>	į		: :	ļ		
	 	 :	 : :	: :	: : :	: :		!		: !	j	;····· :		: :	-	:				 المهمى			11 - 2.20 - 20 mg	······································			••••
		ļ a	i	: !	· · · · · · · · · · · · · · · · · · ·	 	 	· ·····		;		: : :										50			.		
		.i	·	i 	<u></u>	·)		: 				! !						: {					
i	! !		-	2 .	! . :	! !	: :		.		77.77		 !	! !				•			NO.	105	23.	ļ 1930 C	到		· •
	ļ		. ·	ј !		· · ·	ļ ·	 1	•	<u>:</u> :	 ;	; ;	 !	;		 !				235	iir)		1				
6	\$**** . 1		ş4							 							992		9 . –							<u> </u>	• •
ļ	: : 		: : [: 		: :		: 	ļ	<u>:</u>		: 		<u>.</u>				الريال	1		t	12.6			۷		····
		<u> </u>		000		! !	<u>:</u> 	<u>.</u>		8				I				(į		 		.]			
	: : :		i	:	ì !	ļ :	<u>.</u>	** 		٠.,	<u>.</u>	!: 	····	 :	ļ	: :	· .			i !			ļ				<i>:</i>
/			:	:	:	:	! · · · · · · · · · · · · · · · · · · ·	:·····································	 !	: !	: ······ ! .	: · · · · ·	 !	:, !	: ! !	 ! :				 :	 !	J 			! !	:	
	: : :	 !	:	: :	: : :	: • · · · · · · · · · · · · · · · · · ·	1	·	 !			····	· ·····	 ! 		;		·····	···· ·· : :	!····· !		 ! 		··········	i		
	· : ·	: 	: 	: 		; ;	<u>.</u>		: :		:	:	: : :	: 	<u>.</u> 	<u></u>	: ! :	: 	: . : : :			: -}	<u>.</u>	<u>.</u>		: : :	,
<u></u>			t region of an 'employe	 .	***************************************				·	 , <u>u ===</u> -			юв _	48	33	CLIEN	·	JE	アリ		5 P	Ë£	ER?	- /	·		
لظلا	Ŀ	ENG	INE	ERI	NG	C	OM	PAN	1Y			,	DDRE	555													

ANDEL	•
חמתאדע	ENGINE


CIVIL ENGINEERING and SURVEYING

23655 SAN FERNANDO ROAD NEWHALL, CALIFORNIA 91321 PHCNE • 661-259-1920

ANDEL Engineering Company

•	ANDELDE	COLD .		l'arc
1022		Pressure	(11, 11)	· ·
40555	. Isasc		MEINS	
Job	-r	Surveyed lly	11011	The best of the second control of the
1178/06	Tento	ten e saare e groot jirt	"好,你不够有人""华安	

٠.	!			46	1.14.90	Jagares es	Married deposits a	NVA.	SD	HD	VD VD	COMMITTEE	
· 		S	OC.	FS	**	III	THE RESERVE OF THE PARTY OF THE	THE RESERVE THE PARTY OF THE PA	and an arrange of the second	a de la companya de l	3,96		
	· fB	W	A	180	5.16	400	122 Marie 1888		1	74357778	TA TA	Grand	37.65
٠.,			i ji Mariy	B.	5.1G		多的多是		1631.02	ON VERSONS	1.38		
			源	(A)	5.16	遊樂	CALL STATE		1630,92	3344		FE	
		dia A	1	O.	5.16 5.16 5.16	3.55 (1) 3.54 (2)			1633.71	100000	4.17%	The state of the s	1
7		(2.4		III	891		The Table		1627.81		2.02	Ground	
	1 2 2	** 3			516	MISTORY.	50.755		1630,08		0.54	TUTH OF BLS	
		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2000 2000	Name of	سا بر	e Sept. Sept.	i kati Zaladi ya	1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 .					
	-			- 1986 - 1986 - 1986	Ev.	Tigan					092		
	F	(516	र कुल्दिकी अक्षाता		The state of the s	1630.26	Salar Francisco	1.10	Ground	
					5.16	North A.		The Section Co.	1033,07		4.51	FE	
		1 × ×			5.16				1626,88		_0,73	Grandi	
*					6.71		- 	Accessed Substitute		a talentaria. Vanda alakari	4 1 30.1 3127	Garage / Turn	
				K	516				1627.98			Out to leave	1
						調整		11.22			780 700		
	K	1			5.16			10 12 18 19 D		7,000	0.99		
	<u>/</u>	漢	416.12		510				\C32A8		5.49	Launday Room	
					5.VG	and the			162673		-0.76	Good	
	SAR.		16 ×		<u>). (φ</u>		eggenesage=100 CorestObjectas			## SE 189			気を対
7	被数			700 C		and the same same							
			麗 南										
	£7		整整	Die.					and the second				
	数 作。 注 (-	· 1876	19 19 19								57.0		
	À	1									1. X		
		1			150 . I.	1-0.5 7 1-0.6	Service Services	24 131 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
		25.	4 0	1995	<u> </u>	\$299 (C.S	4 No. of Sec.	### · · ·		/// //	拥挤型数	A Park	
-							10 6 h	(A)	100000000000000000000000000000000000000	nerosario	CONTRACTOR OF THE PARTY OF THE		ははは
¥		1800 F					{						1
				* A.	12.00	SECTION 1	The state of the s	AND THE PROPERTY OF THE PARTY O	. 1984 Marijani				
914	海海							Ch In the Control of	3.094.80				がなった
				被		CHARLE T	ing distriction of the second						
1	0		225	100		Carl Offi		and the second	ACCOUNTS OF THE PARTY.		理论的。"不多"		2000
	CX (742)	110	ecq with	A. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	OUNTAINE THE	The Bearing Town	manufacture (managed) - 15, 41		The state of the s	West St. HE. Co.	anten in a transfer of the profit of the second	PARTIE OF THE PARTIE OF THE PARTIE OF THE PARTIE OF THE PARTIES.	10



.